





1421 S. Cooper St, Jackson, MI 49203  
Phone: (517) 782-8884  
Fax: (517) 782-8906  
info@jacksonamf.com  
www.jacksonamf.com

## JA-1.5ME Profile


The JA-1.5 ME roof system will lend striking dimension to any architectural design. This versatile 1-1/2" mechanically seamed panel can be curved to a wide range of radiuses and applications – from barrel roofs to conical shapes and more. Concealed fasteners and a floating clip system reduce the effect of thermal stresses on the panels, helping to maintain a beautifully smooth, uniform appearance despite fluctuations in temperature.

*Weather  
Tightness  
Warranty  
Approved!*

*Ideal Application:*  
*Commercial*  
*Residential*



Single lock  
panel



Double lock  
panel

### Testing:

In accordance with:





- UL 580 Wind Uplift (Class 90)
- TAS 125 Wind Uplift
- UL 1897 Extended Phase Wind Uplift
- UL 2218 Class 4 Hail Impact
- UL 790 Class A Fire Rating
- UL Environmental – SRI Third Party Verified
- ASTM E1646 Water Infiltration
- TAS 100 Wind Driven Rain
- ASTM E1680 Air Infiltration
- ASTM E1886 Missile Impact
- ASTM 2140 Static Pressure Water Head
- Miami-Dade County Approved
- Florida Building Code Approved
- Texas Department of Insurance Approval



1421 S. Cooper St, Jackson, MI 49203  
 Phone: (517) 782-8884  
 Fax: (517) 782-8906  
[info@jacksonamf.com](mailto:info@jacksonamf.com)  
[www.jacksonamf.com](http://www.jacksonamf.com)

## JA-1.5 ME Profile



### JACKSON ARCHITECTURAL METAL FABRICATORS, LLC

Job Name/Purchase Order No.	Material:	"x"	Striation	Panel Bead	Color	Manufacturer:	"x"
	26 ga SMP					Carlisle	
	26 ga Kynar					CMG	
	26 ga Galvalume					Drexel	
	24 ga Kynar					East Lake Metals	
	24 ga Galvalume					Firestone	
	22 ga Kynar						
	26 ga Textured						

# STANDING SEAM ORDER FORM



DATE: \_\_\_\_\_

Purchase Order NO. \_\_\_\_\_

**Panel Type:**

JA-1.5NF ☐

JA-1.5SL ☐

JA-1.5 ME ☐

JA-1.75SL ☐

JA-2.0 ME ☐

Striations: Yes      No

Panel Width: \_\_\_\_\_

Roof Pitch: \_\_\_\_\_

Color: \_\_\_\_\_

Panel Quantity @ Panel Length	Panel Quantity @ Panel Length	Panel Quantity @ Panel Length
@	@	@
@	@	@
@	@	@
@	@	@
@	@	@
@	@	@
@	@	@
@	@	@
@	@	@
@	@	@
@	@	@
@	@	@
@	@	@
@	@	@

**Trims:                      QUANTITY IN 10' LENGTH SEGMENTS**

2" Drip Edge: \_\_\_\_\_

3.5" Rake Edge: \_\_\_\_\_

Ridge Cap: \_\_\_\_\_

Vented Ridge Cap: \_\_\_\_\_

HeadWall Flashing: \_\_\_\_\_

SideWall Flashing: \_\_\_\_\_

Valley & Cleat \_\_\_\_\_

Z Channel: \_\_\_\_\_

Vented Z Channel: \_\_\_\_\_

Joggle Cleat: \_\_\_\_\_

Boots: \_\_\_\_\_

**Notes:**

---



---



---



---